




NEW 5CCT LIGHT KIT
5CCT: 2700K - 3000K - 4000K - 5000K - 6500K

55 POSSIBLE VARIATIONS

NEW BLADE FINISH

Alessandra Tropical


Tropical Form with Maximum Efficiency

Escape to a tropical breeze with the Alessandra Tropical, where effortless elegance meets powerful performance. Designed to enhance any space, its sleek 48" form brings a touch of paradise indoors or out. With endless customization options and a color-changing light kit, this fan transforms with your style. Crafted for durability and backed by a lifetime warranty, the Alessandra Tropical isn't just a fan—it's a statement of comfort, beauty, and timeless sophistication.



Shown: *NEW BLADE FINISH*

AKTPLK-TB-PL Textured Bronze Finish, with Palm Leaf Blades



NEW BLADE FINISH

Shown: New Blade Finish

AKTP-BRBR-PL Brushed Brass Finish, with Palm Leaf Blades



AKTP-TB-WN
Textured Bronze Finish,
with Walnut Tone Blades



AKTPLK-BRBR-YE
Brushed Brass Finish,
with Light Yellow Blades



AKTP-MWH-BL
Matte White Finish,
with Light Blue Blades




AKTPLK-BN-PI
Brushed Nickel Finish,
with Light Pink Blades



AKTP-BK-BW
Matte Black Finish,
with Barn Wood Tone Blades



AKTPLK-MWH-LM
Matte White Finish,
with Light Maple Tone Blades



AKTP-BRBR-LI
Brushed Brass Finish,
with Lilac Blades



AKTPLK-TB-GA
Textured Bronze Finish,
with Gray Ash Tone Blades

PRODUCT FEATURES

- LED** 5CCT Color Changing Light Kit
- DC** DC Motor
- Silent Motor**
- Handheld Remote**
- 60°** Optional 60° Slant Mount

- Dimmable Light Kit**
- Wet Location**
- 30°** 30° Slant Ceiling Canopy
- Accessory Wall Control**
See page. 132

FAN FEATURES

Blades (5)

- 16° Pitch
- 48" Blade Length
- ABS Blades

Overall Drop 8in / 20cm +
downrod length

Fan Weight 18 lbs

Downrod Lengths

inches: 5, 10, 18, 24, 36, 48, 60, 72
centimeters: 13, 25, 46, 61, 92, 122,
153, 183

Field cuttable, Non-threaded

Downrod Diameter 1 inch

Fan Diameter 48in / 121.92cm

Voltage 110 or 220

DOE MOTOR EFFICIENCY DATA

RPM (Low/High) 50 / 169

5in Downrod CFM (Low/High)

1394 / 4935

10in Downrod CFM (Low/High)

1394 / 4537

Watts (High) 34.98

CFM/Watt (High) 143

DELIVERED LUMENS

2700K 1063 **5000K** 1221

3000K 1088 **6500K** 1107

4000K 1234

MOTOR FEATURES

Motor Type DC

Ambience Silent

Safety Certification UL / CUL

Warranty Limited Lifetime

LIGHT KIT PHOTOMETRICS

Lamping (Replaceable)

Integrated LED

CRI 90 | **Watts** 22 | **Hours** 30,000

Dimmable

Light Kit Longevity if used
6 Hours/Day: 13.7 Years

STANDARD EQUIPMENT

Downrod 5in & 10in
12.7cm & 25cm

Slant Ceiling Canopy 30°


Handheld Remote

- 6 Speed
- Motor Off
- Reverse
- Light on/off
- 5 Temperature Color Changes
- Dimmable Control



**For more information see
accessory page. 132*

TECHNICAL SPECIFICATIONS



SKU BUILDER

NO LIGHT KIT
AKTP-XXXX-XXX
(Model+Finish+Blade)

LIGHT KIT
AKTPLK-XXXX-XXX
(Model+Finish+Blade)

FAN FINISHES


55 POSSIBLE VARIATIONS

Fan Finishes


Blade Finishes

Light Kit & No Light Kit

48"



BRBR
Brushed Brass



BN
Brushed Nickel



BK
Matte Black



MWH
Matte White



TB
Textured Bronze



BW
Barn Wood Tone




GA
Gray Ash Tone




LM
Light Maple Tone



BK
Matte Black



MWH
Matte White



WN
Walnut Tone



BL
Light Blue



PI
Light Pink



PL
Palm Leaf



YE
Light Yellow



LI
Lilac